


Map User Notes: Enterprise Versatility Index

Summary:

This Enterprise Versatility Index map layer depicts enterprise crop versatility for private free-hold land in Tasmania. A heuristic integration of 24 state-wide enterprise suitability datasets aim to identify specific areas of the State that are suited to more enterprises than other areas where overall versatility is classified as Very High, High, Moderate, Moderate-Low, Low or Very Low. In this vein, land areas with high versatility are considered amendable for growing a broad range of enterprise crops, whereas areas with low versatility are suitable to a limited range. Enterprise crops that participated in this analysis include Barley, Blueberries, Carrot seed, Carrots, Cherries, Eucalyptus globulus, Eucalyptus nitens, Hazelnuts, Industrial Hemp, Linseed, Lucerne, Olives, Onions, Pinus radiata, Poppies, Potatoes, Pyrethrum, Raspberries, Rye grass, Sparkling wine grapes, Strawberries, Table wine grapes and Wheat (refer to [metadata](#) for more information regarding the technical nature of this dataset).

How to use the Enterprise Versatility Index Map in LISTmap

The Enterprise Versatility Index is a digital layer that can be manually interrogated within [LISTmap](#). Any location can be enquired within Tasmania to provide location specific parameters pertaining to crop versatility. To interrogate a location, simply click on any location whilst the versatility layer is active in the table of contents panel and a window will appear listing important attributes. An example is given below:



The screenshot shows the LISTmap interface with the Enterprise Versatility Index map layer active. An 'Identify Results' window is open, displaying the following information:

One feature found in one layer
 - ESM - Versatility Index (one feature)

Feature	
User Notes	Map User Notes: Enterprise Versatility Index
Overall Versatility Score (VSCORE)	44
Well Suited Crops	NA
Well Suited with Management Crops	Ba, Ry, Wh
Suitable Crops	Cd, En, Pi
Suitable with Management Crops	Ca, He, Li, Lu, On, Po, Pt, Py
Moderately Suitable Crops	Bn, Bs, Ha, Ol, St
Moderately Suitable with	Ch, Da

POI: GDA94 MGA55 : 472944E, 5428424N

The window provides information for important attributes including “VSCORE”, “Well_suited”, “Well_suited_with_mgmt”, “Suitable”, “Suitable_with_mgmt”, “Mod_suitable”, “Mod_suitable_mgmt”, “Unsuitable”, “Comments”. These attributes are defined below:

- VSCORE** – The versatility index score with values ranging from 0 and 100. Versatility classifications are set at 85>, 65, 50, 35, 20, 0 equating to Very high, High, Moderate, Moderate-Low, Low and Very Low (nil),

respectively. The higher the VSCORE, the more versatile a land area is for growing a range of [enterprise crops](#).

- **Well_suited** – Crop types that are classified as well suited for production (listed as two-letter codes – refer to code definitions below) pursuant to their specific soil and climatic requirements being met.
- **Well_suited_with_mgmt** – Crop types that are classified as well suited for production (listed as two letter codes – refer to code definitions below) on the proviso that soil and/or climate amelioration techniques are applied to meet this classification.
- **Suitable** – Crop types that are classified as suitable for production (listed as two-letter codes – refer to code definitions below) pursuant to their specific soil and climatic requirements being met.
- **Suitable_with_mgmt** - Crop types that are classified as suitable for production (listed as two letter codes – refer to code definitions below) on the proviso that soil and/or climate amelioration techniques are applied to meet this classification.
- **Mod_suitable** – Crop types that are classified as moderately suitable for production (listed as two letter codes – refer to code definitions below) pursuant to their specific soil and climatic requirements being met.
- **Mod_suitable_mgmt** - Crop types that are classified as moderately suitable for production (listed as two letter codes – refer to code definitions below) on the proviso that soil and/or climate amelioration techniques are applied to meet this classification.
- **Unsuitable** - Crop types that are classified as unsuitable for production (listed as two letter codes – refer to code definitions below) pursuant to specific soil and/or climatic requirements that inhibits production.
- **Comments** – Special comments regarding the versatility classification of some land areas.

Code Definitions

The following definitions relate to the two-letter crop codes listed in the attributes above for “Well_suited”, “Well_suited_with_mgmt”, “Suitable”, “Suitable_with_mgmt”, “Mod_suitable”, “Mod_suitable_mgmt”, “Unsuitable”. In addition, individual LISTmap links and map user notes are supplied that relate directly to each crop, and thus, embodies the suite of [enterprise crop suitability datasets](#) participating in the versatility analysis:

Ba - Barley

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=693190>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_barley.pdf

Bn - Blueberries (Northern High Bush)

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=693223>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_blueberriesNHB.pdf

Bs - Blueberries (Southern High Bush)

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=693269>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_blueberriesSHB.pdf

Ca - Carrots

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=694808>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_carrots.pdf

Cs - Carrot Seed

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=693317>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_carrot_seed.pdf

Ch - Cherries

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=693328>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_cherries.pdf

Eg - Eucalyptus globulus

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=694815>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_plantationtreespecies.pdf

En - Eucalyptus nitens

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=694815>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_plantationtreespecies.pdf

Ha - Hazelnuts

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=693494>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_hazelnuts.pdf

He - Hemp

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=694187>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_hemp.pdf

Li - Linseed

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=694307>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_linseed.pdf

Lu - Lucerne

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=383176>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_lucerne.pdf

OI - Olives

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=694313>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_olives.pdf

On - Onions

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=694391>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_onions.pdf

Pi - *Pinus radiata*

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=694815>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_plantationtreespecies.pdf

Po - Poppies

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=694400>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_poppies.pdf

Pt - Potatoes

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=694574>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_potatoes.pdf

Py - Pyrethrum

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=694601>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_pyrethrum.pdf

Ra - Raspberries

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=694608>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_raspberries.pdf

Ry - Rye Grass

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=694641>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_ryegrass.pdf

Sp - Sparkling wine grapes

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=694651>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_sparklingwg.pdf

St - Strawberries

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=694669>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_strawberries.pdf

Ta - Table wine grapes

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=694677>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_tablewg.pdf

Wh - Wheat

LISTmap link: <https://maps.thelist.tas.gov.au/listmap/app/list/map?bookmarkId=694693>

User notes link: https://nrmdatalibrary.dpipwe.tas.gov.au/FactSheets/WfW/ListMapUserNotes/Map_user_notes_wheat.pdf

Additional Information

For information about using LISTmap, please consult the help document:

<http://listdata.thelist.tas.gov.au/public/outgoing/sif/listmaphelp.pdf>

For technical information relating to the dataset, please consult the [metadata](#).

For information relating to irrigation investment, please consult the Investing in Irrigation web-portal:

<http://dpipwe.tas.gov.au/agriculture/investing-in-irrigation>

Contact

Natural Assets Spatial Intelligence Section

171 Westbury Road

PROSPECT TAS 7250

Phone: 03 6777 2220

Email: nasis@dpipwe.tas.gov.au

Caution and Disclaimer

The information and material in LISTmap (including the enterprise versatility map layer and associated enterprise crop suitability datasets, i.e. “material”) is based on computer modelling of the potential versatility to a given area and, as such, there are inherent uncertainties in the results. While every effort has been made to ensure the material is accurate, the Crown in Right of Tasmania (“Crown”) provide no warranty, guarantee or representation that the material is accurate, complete, up to date, non-infringing or fit for a particular purpose. All versatility assessments and associated crop inputs are based upon the assumption that water for crop irrigation is available and therefore is not a limiting factor. Furthermore, the Crown expressly disclaim all and any legal liability and responsibility whatsoever arising from or connected with: (a) the accuracy, reliability, validity, currency or completeness of the material; (b) the consequences of anything done or omitted to be done by any person, either in whole or in part, in reliance of the material. The material does not take into account personal circumstances. The material is made available on the understanding that the Crown are not providing professional advice and that users of this material should undertake site-specific investigations and research and obtain appropriate professional advice relevant to their particular circumstances. The relevant maps that form part of the material have been prepared at 1:50,000 scale (landscape level). These maps consider only soil and climate constraints and do not take into account other parameters or any legislative, regulatory and/or policy requirements of Federal, State or Local Governments that apply to the land in question and/or which could affect the proposed land use or agricultural enterprise.